



Technical Lifting Course References

Part 1: Technical Lifting Scientific Principles

I. Weight Lifting Safety

- Butragueño, J., Benito, P. J., & Maffulli, N. (2014). Injuries in strength training: review and practical application. *European Journal of Human Movement*, 32, 29-47.
- Colado, J. C., & García-Massó, X. (2009). Technique and safety aspects of resistance exercises: a systematic review of the literature. *The Physician and sportsmedicine*, 37(2), 104-111.
- Hamill, B. P. (1994). Relative Safety of Weightlifting and Weight Training. *The Journal of Strength & Conditioning Research*, 8(1), 53-57.
- Faigenbaum & Meyer. (2010). Resistance training among young athletes: safety, efficacy and injury prevention effects. *British Journal of Sports Medicine*. 44(1) 56-63.
- Keogh, J., Hume, P. A., & Pearson, S. (2006). Retrospective injury epidemiology of one hundred one competitive Oceania power lifters: the effects of age, body mass, competitive standard, and gender. *Journal of strength and conditioning research*, 20(3), 672.
- Lloyd, R. S., Faigenbaum, A. D., Stone, M. H., Oliver, J. L., Jeffreys, I., Moody, J. A., ... & Herrington, L. (2014). Position statement on youth resistance training: the 2014 International Consensus. *Br J Sports Med*, 48(7), 498-505.
- Weisenthal, B. M., Beck, C. A., Maloney, M. D., DeHaven, K. E., & Giordano, B. D. (2014). Injury rate and patterns among CrossFit athletes. *Orthopaedic Journal of Sports Medicine*, 2(4), 2325967114531177.

II. Foot Stability/Effect of footwear on weightlifting performance

- Hammer, M. E., Meir, R. A., Whitting, J. W., & Crowley-McHattan, Z. (2016). Shod versus barefoot effects on force and power development during a conventional deadlift: a pilot study. *Journal of Australian Strength and Conditioning*, 24(6), 38.
- Hammer, M. E., Meir, R. A., Whitting, J. W., & Crowley-McHattan, Z. J. (2018). Shod vs. Barefoot Effects on Force and Power Development During a Conventional Deadlift. *The Journal of Strength & Conditioning Research*, 32(6), 1525-1530.
- Whitting, J. W., Meir, R. A., Crowley-McHattan, Z. J., & Holding, R. C. (2016). Influence of footwear type on barbell back squat using 50, 70, and 90% of one repetition maximum: A biomechanical analysis. *The Journal of Strength & Conditioning Research*, 30(4), 1085-1092



III. Force Irradiation

- Abreu, R., Lopes, A. A., Sousa, A. S., Pereira, S., & Castro, M. P. (2015). Force irradiation effects during upper limb diagonal exercises on contralateral muscle activation. *Journal of Electromyography and Kinesiology*, 25(2), 292-297.
- Gontijo, L. B., Pereira, P. D., Neves, C. D. C., Santos, A. P., Machado, D. D. C. D., & Bastos, V. H. D. V. (2012). Evaluation of strength and irradiated movement pattern resulting from trunk motions of the proprioceptive neuromuscular facilitation. *Rehabilitation research and practice*, 2012.
- Hwang, Y. I., & Park, D. J. (2017). Comparison of abdominal muscle activity during abdominal drawing-in maneuver combined with irradiation variations. *Journal of exercise rehabilitation*, 13(3), 335.
- Sherrington, C. S. (1966). *The integrative action of the nervous system*. CUP Archive.

IV. Strength and Resistance Training for Clinical Populations

- Watson, S. L., Weeks, B. K., Weis, L. J., Horan, S. A., & Beck, B. R. (2015). Heavy resistance training is safe and improves bone, function, and stature in postmenopausal women with low to very low bone mass: novel early findings from the LIFTMOR trial. *Osteoporosis International*, 26(12), 2889-2894.
- Pollock, M. L., Franklin, B. A., Balady, G. J., Chaitman, B. L., Fleg, J. L., Fletcher, B., ... & Bazzarre, T. (2000). Resistance exercise in individuals with and without cardiovascular disease: benefits, rationale, safety, and prescription an advisory from the committee on exercise, rehabilitation, and prevention, council on clinical cardiology, American Heart Association. *Circulation*, 101(7), 828-833.

V. Deep Squats and Knee Injury Risk

- Ariel, B. G. (1974). Biomechanical analysis of the knee joint during deep knee bends with heavy load. In *Biomechanics IV* (pp. 44-52). Palgrave, London.
- National Strength and Conditioning Association. (1991). *The Squat Exercise in Athletic Conditioning*, NSCA Position Statements.

VI. Scapula Positioning and shoulder Stability during pulling and pushing movements

- Kibler, WB. (1998) The Role of the Scapula in Athletic Shoulder Function. *Am J Sports Med*, 26, 325-337.
- Lehman, G. J., Buchan, D. D., Lundy, A., Myers, N., & Nalborczyk, A. (2004). Variations in muscle activation levels during traditional latissimus dorsi weight training exercises: An experimental study. *Dynamic Medicine*, 3(1), 4.
- Mottram, S. L. (1997). Dynamic stability of the scapula. *Manual therapy*, 2(3), 123-131.



VII. Caloric expenditure during different weightlifting exercises

- Reis, V., Júnior, R., Zajac, A., & Oliveira, D. (2011). Energy cost of resistance exercises: An update. *Journal of human kinetics*, 29(Special Issue), 33-39.
- Vorobyev, A.N., (1978). *A Textbook on Weightlifting.* J. Bryant, Trans. Budapest, Hungary: International Weightlifting Federation.

VIII. Strength and Injury Prevention

- Augustsson, S. R., & Ageberg, E. (2017). Weaker lower extremity muscle strength predicts traumatic knee injury in youth female but not male athletes. *BMJ open sport & exercise medicine*, 3(1), e000222.

IX. Hip Joint External Rotation/Hip joint stability and Injury prevention

- Claiborne, T. L., Armstrong, C. W., Gandhi, V., & Pincivero, D. M. (2006). Relationship between hip and knee strength and knee valgus during a single leg squat. *Journal of applied biomechanics*, 22(1), 41-50.
- Leetun, D. T., Ireland, M. L., Willson, J. D., Ballantyne, B. T., & Davis, I. M. (2004). Core stability measures as risk factors for lower extremity injury in athletes. *Medicine & Science in Sports & Exercise*, 36(6), 926-934.
- Németh, G., & Ohlsén, H. (1985). In vivo moment arm lengths for hip extensor muscles at different angles of hip flexion. *Journal of biomechanics*, 18(2), 129-140.

X. Stability-Mobility Continuum

- Cook, G. (2005). *Athletic body in balance.* Human kinetics.

XI. Position of the knees and hips during the squat and Injury Risk

- Fry, A. C., Smith, J. C., & Schilling, B. K. (2003). Effect of knee position on hip and knee torques during the barbell squat. *The Journal of Strength & Conditioning Research*, 17(4), 629-633.



Part 2: The Squat.

References

1. Aspe, R. R., & Swinton, P. A. (2014). Electromyographic and kinetic comparison of the back squat and overhead squat. *The Journal of Strength & Conditioning Research*, 28(10), 2827-2836.
2. Blanpied, P. R. (1999). Changes in muscle activation during wall slides and squat-machine exercise. *Journal of Sport Rehabilitation*, 8(2), 123-134.
3. Bloomquist, K., Langberg, H., Karlsen, S., Madsgaard, S., Boesen, M. & Raastad, T. Effect of range of motion in heavy load squatting on muscle and tendon adaptations. *European Journal of Applied Physiology*. 113: 2133-2142, 2013.
4. Choe, K. (2017). *Kinetic Differences Between a Back Squat and Deadlift in Collegiate Aged Lifters*. California State University, Fullerton.
5. Caterisano, A., Moss, R. E., Pellingier, T. K., Woodruff, K., Lewis, V. C., Booth, W., & Khadra, T. (2002). The effect of back squat depth on the EMG activity of 4 superficial hip and thigh muscles. *The Journal of Strength & Conditioning Research*, 16(3), 428-432.
6. Escamilla, R. F. (2001). Knee biomechanics of the dynamic squat exercise. *Medicine & science in sports & exercise*, 33(1), 127-141.
7. Fleck SJ. and Falkel JE (1986). Value of Resistance Training for the Reduction of Sports Injuries. *Sports Medicine*, 3, 61-68.
8. Kotani, Y & Hori, N. From the Field - Directed Topic – The reasons why athletes squat deep in japan volleyball women’s national team. *Journal of Australian Strength and Conditioning*. 25(3). 2017.
9. Hartmann, H., Wirth, K., Klusemann, M., Dalic, J., Matuschek, C. & Schmidbleicher, D. Influence of squatting depth on jumping performance.
10. National Strength and Conditioning Association. (1991). *The Squat Exercise in Athletic Conditioning*, NSCA Position Statements.
11. *Journal of Strength & Conditioning Research*. 26: 3243-3261, 2012.
12. Wisloff et al. Strong correlation of maximal squat strength with sprint performance and vertical jump height in elite soccer players. *British Journal of Sports Medicine*. 38. 2013.
13. Paoli, A., Marcolin, G., & Petrone, N. (2009).
14. Rhea et al. Joint-angle specific strength adaptations influence improvements in power in highly trained athletes. *Human Movement*. 2016.17(1).
15. The effect of stance width on the electromyographical activity of eight superficial thigh muscles during back squat with different bar loads. *The Journal of Strength & Conditioning Research*, 23(1), 246-250.
16. Swinton, P. A., Stewart, A., Agouris, I., Keogh, J. W., & Lloyd, R. (2011). A biomechanical analysis of straight and hexagonal barbell deadlifts using submaximal loads. *The Journal of Strength & Conditioning Research*, 25(7), 2000-2009.
17. Zhang, L, Xu, D, Wang, G, and Hendrix, RW. Muscle strength in knee varus and valgus. *Med Sci Sports Exerc* 33: 1194–1199, 2001.



Part 3: The Bench Press

References:

The Bench Press

1. Baker, D. (2001). Comparison of upper-body strength and power between professional and college-aged rugby league players. *The Journal of Strength & Conditioning Research*, 15(1), 30-35.
2. Barnett C, Kippers V, Turner P (1995). Effects of variations of the bench press exercise on the EMG activity of five shoulder muscles. *Journal of Strength and Conditioning Research*; 9(4): 222-227.
3. Decker T, Snyder-Mackler L, Axe MJ (1998). Upper extremity weight-training modifications for the injured athlete. A clinical perspective. *Am J Sports Med.* 26(5):732-42.
4. Del Vecchio, L., Stanton, R., & Reaburn, P. (2013). *Maximal upper body strength and power are strongly correlated in amateur male kickboxers*. Paper presented at the the International Conference on Applied Strength and Conditioning,, Melbourne, Victoria.
5. Duffey MJ (2008). *A Biomechanical Analysis of the Bench Press. A Dissertation in Kinesiology, Pennsylvania State University.* 91.
6. Green CM, Comfort P (2007). The Affect of Grip Width on Bench Press Performance and Risk of Injury. *Strength and Conditioning Journal.* 29(5): 10-14.
7. Cressey, E. (2008). Retrieved from <http://ericcressey.com/maxstrengthfaqhtml>
8. Goodman, C. A., Pearce, A. J., Nicholes, C. J., Gatt, B. M., & Fairweather, I. H. (2008). No difference in 1RM strength and muscle activation during the barbell chest press on a stable and unstable surface. *The Journal of Strength & Conditioning Research*, 22(1), 88-94.
9. Hunter, G. R., Treuth, M. S., Weinsier, R. L., Kekes-Szabo, T., Kell, S. H., Roth, D. L., & Nicholson, C. (1995). The effects of strength conditioning on older women's ability to perform daily tasks. *Journal of the American Geriatrics Society*, 43(7), 756-760.
10. Lehman GJ (2005). The influence of grip width and forearm pronation/supination on upper body myoelectric activity during the bench press. *Journal of Strength and Conditioning Research*; 19(3): 587-591.
11. McCartney, N., Hicks, A. L., Martin, J., & Webber, C. E. (1995). Long-term resistance training in the elderly: effects on dynamic strength, exercise capacity, muscle, and bone. *The Journals of Gerontology Series A: Biological Sciences and Medical Sciences*, 50(2), B97-B104.
12. Patrick, T., Bellar, D., Judge, L., & Craig, B. (2011). Correlation of Height and Preseason Bench Press 1Rm to Shot Put and Weight Throw Performance During the Competitive Season. *The Journal of Strength & Conditioning Research*, 25, S97-S98.
13. Trebs AA, Brandenburg JP, Pitney WA (2010). An electromyographic analysis of 3 muscles surrounding the shoulder joint during the performance of a chest press exercise at several angles. *J Strength Cond Res.* 24(7):1925-30.
14. Saeterbakken, A. H., & Fimland, M. S. (2013). Electromyographic activity and 6RM strength in bench press on stable and unstable surfaces. *The Journal of Strength & Conditioning Research*, 27(4), 1101-1107.
15. Sherrington, C. S. (1966). The integrative action of the nervous system. CUP Archive.



Part 4: The Deadlift

References:

1. Almstedt, H. C., Canepa, J. A., Ramirez, D. A., & Shoenle, T. C. (2011). Changes in bone mineral density in response to 24 weeks of resistance training in college-age men and women. *The Journal of Strength & Conditioning Research*, 25(4), 1098-1103.
2. Berglund, L., Aasa, B., Hellqvist, J., Michaelson, P., & Aasa, U. (2015). Which patients with low back pain benefit from deadlift training?. *The Journal of Strength & Conditioning Research*, 29(7), 1803-1811.
3. Bezerra, E. S., Simão, R., Fleck, S. J., Paz, G., Maia, M., Costa, P. B., & Serrão, J. (2013). Electromyographic activity of lower body muscles during the deadlift and still-legged deadlift. *Journal of Exercise Physiology Online*, 16(3), 30-39.
4. Escamilla, R. F., Francisco, A. C., Kayes, A. V., Speer, K. P., & Moorman, C. T. (2002). An electromyographic analysis of sumo and conventional style deadlifts. *Medicine and science in sports and exercise*, 34(4), 682-688.
5. Ebben, W. P., Feldmann, C. R., Dayne, A., Mitsche, D., Chmielewski, L. M., Alexander, P., & Knetgzer, K. J. (2008). Using squat testing to predict training loads for the deadlift, lunge, step-up, and leg extension exercises. *The Journal of Strength & Conditioning Research*, 22(6), 1947-1949.
6. Escamilla, R. F., Francisco, A. C., Kayes, A. V., Speer, K. P., & Moorman, C. T. (2002). An electromyographic analysis of sumo and conventional style deadlifts. *Medicine and science in sports and exercise*, 34(4), 682-688.
7. Hales, M. E., Johnson, B. F., & Johnson, J. T. (2009). Kinematic analysis of the powerlifting style squat and the conventional deadlift during competition: is there a cross-over effect between lifts?. *The Journal of Strength & Conditioning Research*, 23(9), 2574-2580.
8. Hamlyn, N., Behm, D. G., & Young, W. B. (2007). Trunk muscle activation during dynamic weight-training exercises and isometric instability activities. *Journal of Strength and Conditioning Research*, 21(4), 1108.
9. Holmberg, D., Crantz, H., & Michaelson, P. (2012). Treating persistent low back pain with deadlift training—A single subject experimental design with a 15-month follow-up. *Advances in Physiotherapy*, 14(2), 61-70.
10. Huck, C. J. (2015). Effects of supervised resistance training on fitness and functional strength in patients succeeding bariatric surgery. *The Journal of Strength & Conditioning Research*, 29(3), 589-595.
11. Noe, D. A., Mostardi, R. A., Jackson, M. E., Porterfield, J. A., & Askew, M. J. (1992). Myoelectric activity and sequencing of selected trunk muscles during isokinetic lifting. *Spine*, 17(2), 225-229.
12. Ratamess, N. A., Faigenbaum, A. D., Mangine, G. T., Hoffman, J. R., & Kang, J. (2007). Acute muscular strength assessment using free weight bars of different thickness. *Journal of strength and conditioning research*, 21(1), 240.